

EVERY PACKAGE BEING STERILIZED SAVES LIFE



# PRODUCT PORTFOLIO

### **ABOUT US**

STERI has been at the forefront of manufacturing sterilization and infection control products for over 30 years. Being a family owned business, we have developed a reputation for our quality and reliability. At STERI, we believe in providing excellent products and exceptional services to our clients. Our experience with over 50,000 installations and strive for excellence has resulted in **STERI** being a pioneer in the field.

At **STERI** we ensure exceptional customer support by providing expert **pre and post sales** support services, to satisfy customer expectations. Our installation team provides in depth one on one training and demos and our sales and technical team is highly skilled to trouble shoot any technical issues online and in person nationwide. We highly value customer feedback which contributes to the continuous improvement of our products and support services.

### WHY US

### **CERTIFICATIONS**



Indian Standard Institute



ISO:9001 Quality Managements System



**FDA** The Food and Drug Administration



ISO 13485 Medical device quality management system



Standards for health, safety and environmental protection



IEC 61010-2 Safety requirements for electrical equipment for measurement, control, and laboratory use



Good Manufacturing Practice




IEC 60601-1-2016 Technical standard for the safety and essential performance of medical electrical equipment

### **SERVICES**



Pre - Sale Service



Free Onsite Training



Post - Sale Service



Fast Shipping



Free Installation

QUALITY



### Sterilizer Series

### STEAM STERILIZER





Automatic Microprocessor Touch Screen, Semi-Automatic and Manual Control Systems

> Capacity 35 L, 75 L

Working Temp 121°C, 134°C

Working Temp 121°C, 134°C



### **STEAM STERILIZER**

Semi-Automatic and Manual Control Systems

75 L, 138 L, 176 L, 235 L, 254 L, 485 L



#### YSU- 405 STERI HORIZONTAL YSU-608 STERI AUTOMATIC STEAM STERILIZER

- Available in single, double and sliding door Microprocessor Touch Screen
- Control System 75 L, 138 L, 176 L, Capacity

235 L, 254 L, 485 L

Working Temp 100°C-134°C



#### YSU-617 TABLE TOP **PORTABLE AUTOCLAVE**

Automatic Microprocessor Touch Screen and Manual Control Systems with sliding doors

Capacity 14L, 19L

Working Temp 100°C-134°C

### **GAS STERILIZER**



### YSU-606 STERI ETO HORIZONTAL **STERILIZER**

Automatic Microprocessor Touch Screen Control System

Capacity(Rectangular) 176L, 235L, 254L, 485L Capacity(Cylindrical) 75 L, 138 L

Working Temp 37°C-60°C



#### YSU-406 STERI ETO TABLE TOP **STERILIZER**

Automatic Microprocessor Touch Screen Control System

Capacity(Rectangular) 176 L, 235 L Capacity(Cylindrical) 35 L, 75 L Working Temp 37°C-60°C



Effective against vegetative bacteria, Mycobacteria. B.Atrophaeus and G. Stearothermophilus Spores and Candida

#### YSU-607 STERI FORMALDEHYDE **STERILIZER**

Automatic Microprocessor Touch Screen

Capacity(Rectangular) 176L, 235L, 254L, 485L Capacity(Cylindrical) 75 L, 138 L Working Temp 60°C-80°C

#### OTHER STERILIZERS



YSU-701 STERI UV **STERILIZER** 



YSU-623 STERI DRY **STERILIZER** 




YSU-409 STERI **HOT & COLD WATER STERILIZER** 





YSU-900 STERI **INSTRUMENT STERILIZER** 



### Decontamination Series



### **YSU-609 STERI DISINFECTOMAT WASHER DISINFECTOR**

- Automatic Microprocessor Touch Screen Control System
- 6 washing programs, auto detergent water heating and water discharging system




### **YSU-615 STERI SCRUB STATION**

- Proximity sensor for Automatic
- Available as wall mounted or freestanding units
- High grade304 construction
- 1,2 and 3 sink configuration

## Surgical Series

#### YSU-1129 STERI DIGITAL LED LIGHT SOURCE





Novel heat protection filter, analog and digital electronic light intensity regulator

### Waste Management Series

#### YSU-611CYLINDRICAL MEDICAL WASTE STERILIZER WITH SHREDDER



- Advanced Microprocessor PLC Touch Screen Control
- Also available with attached shredder

432 L,648 L,810 L, Capacity (Rectangular) 972 L.1215 L Capacity 235 L, 340 L, 530 L (Cylindrical)

### → YSU-612 WASTE SHREDDER → YSU-612 WA



Designed to shred plastic waste such as blood bags, transfusion sets, plastic syringes, scalpel, blades etc

10 kg, 20 kg, 30 kg, 40 kg, Capacity 50 kg



**WASTE SEGREGATION TROLLEY** 

**BIO HAZARD TROLLEY** 

### Distillation Series

#### YSU-410 STERI SINGLE DISTILLATION **WATER STILL**

- Complete SS-304 construction
- Produces pyrogen free distilled water

Distillate L/hr 5 L/hr, 10L/hr, Capacity 20 L/hr,40L/hr, 60 L/hr, 100 L/hr



Complete SS-304 construction Produces pyrogen free distilled water

**MYSU-1150 STERI HAND WASH SINK** 

High grade SS-304 construction

1,2 and 3 sink configuration

Distillate L/hr

Capacity 5 L/hr, 10L/hr, 20 L/hr,40L/hr,

## Bioengineering Series

### YSU-551 STERI FERMENTER MANUAL



- Manual and Automatic Advanced Microprocessor PLC Touch Screen Control System
- Also available with a Inbuilt sterilization

10L,50L,100L, 200L **Working Temp** 37°C-60°C





- All functions are controlled via Automatic Advanced Microprocessor PLC Touch Screen Control System
- Also available with a Glass

Capacity **Working Temp** 37°C-60°C

### Furniture & CSSD Items

LINEN TROLLEY

- Packing Table
- Paper Table
- Dry Work Table
- SS Table
- Gauze Cutting Table
- **CSSD Rack**
- Basket Rack






- Semi Fowler Bed
- Fowler Bed
- Hospital bed
- ICU Bed
- 5. Bed Side Locker
- **Examination Couch**
- SS Almera
- Baby Bassinet









### Our Esteemed Clients

### **HOSPITALS AND MEDICAL COLLEGES**



























### RAMAKRISHNA MISSION HOSPITAL

### **GOVERNMENT INSTITUTION**







### PHARMACEUTICAL LAB







### **FOOD AND BEVERAGE**







### AGRICULTURAL LAB









### Get In Touch

#### **MARKETED BY**



P:D-149 Preet Vihar, New Delhi 110092.

: yorcoscientific.com

**?**): 8595293382

### MANUFACTURED BY



YORCO Scentific Udyog Pvt.Ltd

: 13 Loni road, site 2,Mohan nagar,Ghaziabad,Uttar Pradesh 201007.

: yorcoscientific.com

**(**): 9350000607