

EVERY PACKAGE BEING STERILIZED SAVES LIFE



PRODUCT PORTFOLIO

ABOUT US

STERI has been at the forefront of manufacturing sterilization and infection control products for over 30 years. Being a family owned business, we have developed a reputation for our quality and reliability. At STERI, we believe in providing excellent products and exceptional services to our clients. Our experience with over 50,000 installations and strive for excellence has resulted in **STERI** being a pioneer in the field.

At **STERI** we ensure exceptional customer support by providing expert **pre and post sales** support services, to satisfy customer expectations. Our installation team provides in depth one on one training and demos and our sales and technical team is highly skilled to trouble shoot any technical issues online and in person nationwide. We highly value customer feedback which contributes to the continuous improvement of our products and support services.

WHY US

CERTIFICATIONS



Indian Standard Institute



ISO:9001 Quality Managements System



FDA The Food and Drug Administration



ISO 13485 Medical device quality management system



Standards for health, safety and environmental protection



IEC 61010-2 Safety requirements for electrical equipment for measurement, control, and laboratory use



Good Manufacturing Practice




IEC 60601-1-2016 Technical standard for the safety and essential performance of medical electrical equipment

SERVICES



Pre - Sale Service



Free Onsite Training



Post - Sale Service



Fast Shipping



Free Installation

QUALITY



Sterilizer Series

STEAM STERILIZER





Automatic Microprocessor Touch Screen, Semi-Automatic and Manual Control Systems

> Capacity 35 L, 75 L

Working Temp 121°C, 134°C



YSU- 405 STERI HORIZONTAL YSU-608 STERI AUTOMATIC **STEAM STERILIZER**

Semi-Automatic and Manual Control Systems

75 L, 138 L, 176 L, 235 L, 254 L, 485 L Working Temp 121°C, 134°C



STEAM STERILIZER

- Available in single, double and sliding door
- Microprocessor Touch Screen Control System 75 L, 138 L, 176 L,

Capacity 235 L, 254 L, 485 L

Working Temp 100°C-134°C



YSU-617 TABLE TOP **PORTABLE AUTOCLAVE**

Automatic Microprocessor Touch Screen and Manual Control Systems with sliding doors

Capacity

14L, 19L

Working Temp 100°C-134°C

GAS STERILIZER



YSU-606 STERI ETO HORIZONTAL **STERILIZER**

Automatic Microprocessor Touch Screen Control System

Capacity(Rectangular) 176L, 235L, 254L, 485L Capacity(Cylindrical) 75 L, 138 L

Working Temp 37°C-60°C



YSU-406 STERI ETO TABLE TOP **STERILIZER**

Automatic Microprocessor Touch Screen Control System

Capacity(Rectangular) 176 L, 235 L Capacity(Cylindrical) 35 L, 75 L

Working Temp 37°C-60°C



vegetative bacteria, Mycobacteria. B.Atrophaeus and G. Stearothermophilus Spores and Candida

Effective against

YSU-607 STERI FORMALDEHYDE **STERILIZER**

Automatic Microprocessor Touch Screen

Capacity(Rectangular) 176L, 235L, 254L, 485L Capacity(Cylindrical) 75 L, 138 L

Working Temp 60°C-80°C

OTHER STERILIZERS



YSU-701 STERI UV **STERILIZER**




YSU-623 STERI DRY **STERILIZER**




YSU-409 STERI **HOT & COLD WATER STERILIZER**











Decontamination Series



YSU-609 STERI DISINFECTOMAT WASHER DISINFECTOR

- Automatic Microprocessor Touch Screen Control System
- 6 washing programs, auto detergent water heating and water discharging system

Distillation Series



YSU-615 STERI SCRUB STATION

- Proximity sensor for Automatic
- Available as wall mounted or freestanding units
- High grade304 construction
- 1,2 and 3 sink configuration

Surgical Series

YSU-1129 STERI DIGITAL LED LIGHT SOURCE





STERI in collaboration with ARK has developed a series of high feature low cost medical led light source for Laparoscopy, Endoscopy, ENT, Dental etc.

- 100 Watt LED at 6000° 6500°K ensures constant daylight colour rendition
- Novel heat protection filter, analog and digital electronic light intensity regulator

Waste Management Series

YSU-611CYLINDRICAL MEDICAL



- Advanced Microprocessor PLC Touch Screen Control
- Also available with attached

432 L,648 L,810 L, Capacity (Rectangular) 972 L.1215 L Capacity 235 L, 340 L, 530 L (Cylindrical)

→ YSU-612 WASTE SHREDDER → YSU-612 WA



Designed to shred plastic waste such as blood bags, transfusion sets, plastic syringes, scalpel, blades etc

10 kg, 20 kg, 30 kg, 40 kg, Capacity 50 kg



WASTE SEGREGATION TROLLEY

BIO HAZARD TROLLEY

WASTE STERILIZER WITH SHREDDER



YSU-410 STERI SINGLE DISTILLATION **WATER STILL**

- Complete SS-304 construction
- Produces pyrogen free distilled water

Distillate L/hr 5 L/hr, 10L/hr, Capacity 20 L/hr,40L/hr, 60 L/hr, 100 L/hr



Complete SS-304 construction

MYSU-1150 STERI HAND WASH SINK

High grade SS-304 construction

1,2 and 3 sink configuration

WATER STILL

Produces pyrogen free distilled water

Distillate L/hr Capacity 5 L/hr, 10L/hr, 20 L/hr,40L/hr,

Bioengineering Series



- Manual and Automatic Advanced Microprocessor PLC Touch Screen Control System
- Also available with a Inbuilt sterilization

10L,50L,100L, 200L **Working Temp** 37°C-60°C

YSU-555 STERI AUTOMATIC BABY FERMENTER



- All functions are controlled via Automatic Advanced Microprocessor PLC Touch Screen Control System
- Also available with a Glass

Capacity **Working Temp** 37°C-60°C

Furniture & CSSD Items

LINEN TROLLEY

- Packing Table
- Paper Table
- Dry Work Table
- SS Table
- Gauze Cutting Table
- **CSSD Rack**
- Basket Rack








- Fowler Bed
- Hospital bed
- ICU Bed
- 5. Bed Side Locker
- **Examination Couch**
- SS Almera
- Baby Bassinet









Our Esteemed Clients

HOSPITALS AND MEDICAL COLLEGES



























RAMAKRISHNA MISSION HOSPITAL

GOVERNMENT INSTITUTION







PHARMACEUTICAL LAB







FOOD AND BEVERAGE







AGRICULTURAL LAB









Get In Touch

MARKETED BY



P:D-149 Preet Vihar, New Delhi 110092.

: yorcoscientific.com

?): 8595293382

MANUFACTURED BY



YORCO Scentific Udyog Pvt.Ltd

: 13 Loni road, site 2,Mohan nagar,Ghaziabad,Uttar Pradesh 201007.

: yorcoscientific.com

?): 9350000607